

Universal Cable Ladder Kit, 20 ft, 4-hole rung

Product Classification

Product Type Ladder kit

General Specifications

Cable Runs, quantity 4

Mounting Round and angle legs

Dimensions

Length 6096 mm | 240 in

Material Specifications

Material Type Hot dip galvanized steel

Packaging and Weights

Included Attachment kits | Ladder | Splice plates

Packaging quantity 1

Weight, net 37.1 kg | 81.791 lb

Regulatory Compliance/Certifications

Agency Classification

CHINA-ROHS Above maximum concentration value

ROHS Compliant/Exempted UK-ROHS Compliant/Exempted



Included Products

HK-CL-U – Universal Cable Ladder Hardware Kit for 1 in to 4-1/2 in round or angle

members



HK-CL-U



Universal Cable Ladder Hardware Kit for 1 in to 4-1/2 in round or angle members

Product Classification

Product Type Ladder kit

Ordering Note ANDREW® standard product (Global)

General Specifications

Cable Runs, quantity

Mounting Round and angle legs

Dimensions

 Height
 203.2 mm | 8 in

 Width
 127 mm | 5 in

 Length
 203.2 mm | 8 in

 Mounting Diameter, maximum
 114.3 mm | 4.5 in

 Mounting Diameter, minimum
 25.4 mm | 1 in

Material Specifications

Material Type Hot dip galvanized steel

Packaging and Weights

Included J-bolts | Plates

Packaging quantity

Weight, net 1.7 kg | 3.748 lb

Regulatory Compliance/Certifications

Agency Classification

CHINA-ROHS Above maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

ROHS Compliant/Exempted



<u>HK-</u>CL-U

UK-ROHS

Compliant/Exempted

