MUK-SFK1 | TIE BACK ASSEMBLY



Tieback Bracket / Stiff Arm, 2-3/8" OD x 12 ft Pipe with Attachment Hardware, for 1-1/2" to 8" OD or 60 degree angle tower leg

Product Classification

Product Type Stiff arm mount

General Specifications

Mounting Round and angle legs

Pipe, quantity 1

Dimensions

 Pipe Length
 3,048 mm | 120 in

 Pipe Outer Diameter
 60.325 mm | 2.375 in

Material Specifications

Material Type Hot dip galvanized steel

Packaging and Weights

Included Attachment hardware | Pipe

Packaging quantity 1

Regulatory Compliance/Certifications

Agency Classification

CHINA-ROHS Above maximum concentration value

ROHS Compliant/Exempted UK-ROHS Compliant/Exempted



Included Products

SA-B - Stiff Arm / Tieback Brackets for 2-3/8 in OD pipe - Pipe not

included





Stiff Arm / Tieback Brackets for 2-3/8 in OD pipe - Pipe not included

Product Classification

Product Type Stiff arm mount

General Specifications

Mounting Round and angle legs

Pipe, quantity 0

Dimensions

 Height
 152.4 mm | 6 in

 Width
 203.2 mm | 8 in

 Length
 203.2 mm | 8 in

 Mounting Diameter, maximum
 88.9 mm | 3.5 in

 Mounting Diameter, minimum
 48.26 mm | 1.9 in

Material Specifications

Material Type Hot dip galvanized steel

Packaging and Weights

Included Attachment hardware | Brackets

Packaging quantity 1

Weight, net 8.301 kg | 18.3 lb

Regulatory Compliance/Certifications

Agency Classification

CHINA-ROHS Above maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

ROHS Compliant/Exempted UK-ROHS Compliant/Exempted



SA-B

